

•1

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/02/2023

Reviewed on 7/15/2024

1 Identification

- · Product Identifier
- Trade Name: CAL-MELT
- Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Ice Melt
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: Morgro Inc.
 145 West Central Avenue Salt Lake City, UT 84107
 P: (801) 266-1132 or 1-800-221-1049
 Emergency telephone number: US and CANADA: CHEMTREC 1-800-424-9300

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 0 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 0	Fire = 0
REACTIVITY 0	Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients			
· Non-hazardous com			
CAS: 7647-14-5 RTECS: VZ4725000	Sodium Chloride		Proprietary%
CAS: 10043-52-4 RTECS: EV 9800000	Calcium Chloride	Eye Irritation 2A, H319	Proprietary%
Obernie al abernataria etiana Orbetana a			

· Chemical characterization: Substance

• **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous Components: Non-Regulated Material



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/02/2023

Reviewed on 10/02/2023

Trade Name: CAL-MELT

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- General information: If symptoms persist, call a physician.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

• After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

After swallowing:

Immediately call a doctor.

If swallowed and symptoms occur, consult a doctor.

- Information for doctor
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters Salt is not combustible
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

• *Personal precautions, protective equipment and emergency procedures:* Restrict area to facilitate clean up

• Environmental precautions: Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

• Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· PAC-1:

10043-52-4 Calcium Chloride

12 mg/m³

· PAC-2:

10043-52-4 Calcium Chloride

130 mg/m³ (Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/02/2023

Reviewed on 10/02/2023

Trade Name: CAL-MELT

· PAC-3:

10043-52-4 Calcium Chloride

' Handling and Storage

- · Handling
- Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- · Eye protection: Not required.
- Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- Information on basic physical and chemical properties
- · General Information

Appearance.	
Form:	Crystalline
Color:	Light pink
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value @ 20 °C (68 °F):	6-8
· Change in condition	
Melting point/Melting range:	Not determined.

790 mg/m³



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/02/2023

Trade Name: CAL-MELT

Reviewed on 10/02/2023

Boiling point/Boiling range:	Not determined.
· Flash point:	None
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	Not applicable
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not self-igniting.
• Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not determined.
 Density: Relative density: Vapor density: Evaporation rate: 	Not determined. Not determined. Not determined. Not determined.
 Solubility in / Miscibility with: Water: 	Fully miscible.
· Partition coefficient (n-octanol/water)	Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: VOC content: 	0.00 %
· Other information:	No further relevant information available.
10 Stability and Reactivity	

· *Reactivity:* No further relevant information available.

• Chemical stability: Product is stable under normal conditions.

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Contact with incompatible materials.
- · Incompatible materials: Strong oxidizing agents.
- · Hazardous decomposition products: Chlorine gas. Hydrogen chloride. Oxides of sodium.

1 Toxicological Information

Information on toxicological effects: Acute toxicity: LD/LC50 values that are relevant for classification: 7647-14-5 Sodium Chloride Oral LD50 4,000 mg/kg (mouse) 3,000 mg/kg (Rat) Dermal LD50 >10,000 mg/kg (rabbit)

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/02/2023

Reviewed on 10/02/2023

Page 5/7

Trade Name: CAL-MELT

- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: No irritating effect.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

• Carcinogenic categories:

· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
· NTP (National Toxicology Program):
None of the ingredients are listed.
· OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed.

2 Ecological Information

- · Toxicity:
- · Aquatic toxicity:
- 7647-14-5 Sodium Chloride
- EC50 340.7-469.2 mg/l (Water flea)
- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

3 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packaging

- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport Information

- · UN-Number:
- · DOT, ADR/ADN, IMDG, IATA
- UN proper shipping name:
- · DOT, ADR/ADN, IMDG, IATA
- Transport hazard class(es):
- · DOT, ADR/ADN, ADN, IMDG, IATA
- · Class:

Non-Regulated Material

Non-Regulated Material

Non-Regulated Material



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/02/2023

· Packing group:

Reviewed on 10/02/2023

Trade	Name:	CAL-	MELT
-------	-------	------	------

· DOT, ADR/ADN, IMDG, IATA · Environmental hazards:	Non-Regulated Material Not applicable.
• Special precautions for user:	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code: UN "Model Regulation": 	Not applicable. Non-Regulated Material
15 Regulatory Information	
 Safety, health and environmental regu No further relevant information available. SARA (Superfund Amendments and R 	lations/legislation specific for the substance or mixture: eauthorization):
· Section 355 (extremely hazardous sub	stances):
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical list	stings):
None of the ingredients are listed.	
• TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients are listed.	
· California Proposition 65:	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproducti	ve toxicity for females:
None of the ingredients are listed.	
· Chemicals known to cause reproduction	ve toxicity for males:
None of the ingredients are listed.	
· Chemicals known to cause developme	ental toxicity:
None of the ingredients are listed.	
· New Jersey Right-to-Know List:	
None of the ingredients are listed.	
· New Jersey Special Hazardous Substa	nce List:
None of the ingredients are listed.	
· Pennsylvania Right-to-Know List:	
None of the ingredients are listed.	
· Pennsylvania Special Hazardous Subs	stance List:
None of the ingredients are listed.	
Carcinogenic categories:	
· EPA (Environmental Protection Agenc	v):
None of the ingredients are listed.	<i></i>
• TLV (Threshold Limit Value establishe	d by ACGIH):
None of the ingredients are listed.	



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/02/2023

Reviewed on 10/02/2023

Trade Name: CAL-MELT

• NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements Non-Regulated Material

· Hazard pictograms: Non-Regulated Material

· Signal word: Non-Regulated Material

· Hazard statements: Non-Regulated Material

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** * * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106